UNIVERSITY OF ENGINEERING AND APPLIED SCIENCES, SWAT PRILIMINARY EVALUATION REPORT FOR THE PROCUREMENT OF MINING, MATERIAL AND METALLURGY EQUIPMENTS Tender Reference: U-EAS/2021-22/260/262/268,269,271-275/277 (Date of Opening: 13-04-2022.) Stage-2-Requirements Stage-1-Requirements Proof of supply of Lab Equipment's (03 POs/ Completion certificate in last 03 years) Audited financial statements for the previous three years Affidavit on stamp paper of non-Black listing Minimum one engineer and one sales representative Affidavit on stamp paper of 2% Bid Security OEM Training, Installation and Commissioning Certificate Bank certificate o good financial standing 'OEM-Manufactu Authorisation Lett Firm Specifications/ Model/ f of Active Remarks Stage-1-Result SR# / Firm Name Stage-2-Result (If Any) Brand Stage-1 (Mandatory) Pass/Fail Stage-2 (Mandatory) Responsive/Non-Responsive MINING, MATERIAL AND METALLURGY-ENGINEERING (CATEGORY-3) 1 Induction Melting Furnace CBOCAST MACHINERY CO., LTD. Ltd Model: M/s Delta plus pvt ltd YES YES YES YES Pass YES YES YES YES Responsive CDO-CT45 2 M/s S.U.Enterprises Not Quoted 3 M/s R Wish Private Ltd China Made NO YES YES YES Fail YES NO NO NO YES **Non-Responsive** M/s Meditron Trading Corporation Not Quoted **Permeability Meter** 2 Xianxian Rushi Technology CO., Ltd Model: YES YES YES YES YES YES YES YES YES 1 M/s Delta plus pvt ltd Pass Responsive TPT-70 2 M/s S.U.Enterprises Not Quoted M/s R Wish Private Ltd China Made YES YES YES Fail YES NO NO YES Non- Responsive M/s Meditron Trading Corporation Not Quoted Sieve Shaker 3 Eversun machinery (Henan) Co., Ltd YES YES 1 M/s Delta plus pvt ltd YES YES Pass YES YES YES YES YES Responsive Model: ESYS-200 2 M/s S.U.Enterprises Ortoalresa--Spain Model: TA005 YES YES YES NO Fail YES YES YES YES YES **Non-Responsive** M/s R Wish Private Ltd China Made NO YES YES Fail YES NO NO NO Non- Responsive M/s Meditron Trading Corporation Gem 200 Digital YES YES YES Pass YES YES YES YES **Non-Responsive**

			Stage-1-Requirements				Stage-2-Requirements							
	SR# / Firm Name	Firm Specifications/ Model/ Brand	'OEM-Manufacturer Authorisation Letter	Proof of Active Tax Payer	Affidavit on stamp paper of non-Black listing	Affidavit on stamp paper of 2% Bid Security	Stage-1-Result	Minimum one engineer and one sales representative	Bank certificate of good financial standing	Audited financial statements for the previous three years	OEM Training, Installation and Commissioning Certificate	Proof of supply of Lab Equipment's (03 POs/ Completion certificate in last 03 years)	Stage-2-Result	Remarks (If Any)
			5	Stage-1 (Mandator	y)	Pass/Fail		Stag	ge-2 (Manda	tory)		Responsive/Non-Responsive	
	4	Sand washer												
1	M/s Delta plus pvt ltd	Not Quoted												
2	M/s S.U.Enterprises	Not Quoted												
3	M/s R Wish Private Ltd	China Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	Not Quoted												
	5	Sand Muller												
1	M/s Delta plus pvt ltd	Qingdao tianzhuang casting machine industry and Trade .Ltd. Model: S118	YES	YES	YES	YES	Pass	YES	YES	YES	YES	YES	Responsive	
2	M/s S.U.Enterprises	Not Quoted												
3	M/s R Wish Private Ltd	China Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	Not Quoted												
	6	Hand moulding machine												
1	M/s Delta plus pvt ltd	Dongguan JieYang Machinery Co., Ltd. Model:JY-550ST	YES	YES	YES	YES	Pass	YES	YES	YES	YES	YES	Responsive	
2	M/s S.U.Enterprises	Not Quoted							-					
3	M/s R Wish Private Ltd	China Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	Not Quoted												
	7	Sand moisture tester												
1	M/s Delta plus pvt ltd	WANT balance instrument Co., Ltd. Model: DSH-50-1	YES	YES	YES	YES	Pass	YES	YES	YES	YES	YES	Responsive	
2	M/s S.U.Enterprises	OhausUSA Model: MB 35	YES	YES	YES	NO	Fail	YES	YES	YES	YES	YES	Non- Responsive	
3	M/s R Wish Private Ltd	China Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	G163L	NO	YES	YES	YES	Fail	YES	YES	NO	YES	YES	Non- Responsive	

			Stage-1-Requirements				Stage-2-Requirements							
	SR# / Firm Name	Firm Specifications/ Model/ Brand	'OEM-Manufacturer Authorisation Letter	Proof of Active Tax Payer	Affidavit on stamp paper of non-Black listing	Affidavit on stamp paper of 2% Bid Security	Stage-1-Result	Minimum one engineer and one sales representative	Bank certificate of good financial standing	Audited financial statements for the previous three years	OEM Training, Installation and Commissioning Certificate	Proof of supply of Lab Equipment's (03 POs/ Completion certificate in last 03 years)	Stage-2-Result	Remarks (If Any)
		Stage-1 (Mandatory) Pass/Fail Stage-2 (Mandatory)								Responsive/Non-Responsive				
	8	Oven												
1	M/s Delta plus pvt ltd	CDOCAST MACHINERY CO., LTD.Ltd Model:RX3-30-12	YES	YES	YES	YES	Pass	YES	YES	YES	YES	YES	Responsive	
2	M/s S.U.Enterprises	HobersalSpain Model: HCV1000/12	YES	YES	YES	NO	Fail	YES	YES	YES	YES	YES	Non- Responsive	
3	M/s R Wish Private Ltd	China Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	Not Quoted												
	9	Scanning Electron Microscope SEM												
1	M/s Delta plus pvt ltd	Not Quoted												
2	M/s S.U.Enterprises	Not Quoted							_	_				
3	M/s R Wish Private Ltd	Taiwan Made	NO	YES	YES	YES	Fail	YES	NO	NO	NO	YES	Non- Responsive	
4	M/s Meditron Trading Corporation	Not Quoted												

Department of Mining Metallurgy and Material Sciences

University of Engineering and Applied Sciences, Swat

Name of items	General specification	Quantity	S. U. Enterprises	Delta Plus Pvt Ltd	R-wish Pvt Ltd	Meditron	Remarks
Induction Melting Furnace	Furnace capacity: 20-50kg	Quarterly		Offered model : CDO-CT45	70 200		Re tender
	Maximum temperature: 1700 oC Metting rate: 100kg/r Unty cycle: 100% 24H Continuous Work Cooling way: water cooling Metting way: crucible metting Pouring way: reducer or hydraulic	1	Not Quoted	Manufacture : CDOCAST MACHINERY CO., LTD. Ltd Country of origin : China	Non responsive	Not Quoted	
Permeability meter	Inner diameter of cylinder 100mm Height of permeating cylinder 400mm Space between isometric pipes 100mm Water supply bottle 5000ML	1	Not Quoted	Offered model : Model TPT-70 Manufacturer : Xianxian Rushi Technology Co, Ltd Country of origin : China	Non responsive	Not Quoted	SU Enterprises: Not Quoted Delta Plus: Qualify R-Wish: Non responsice Meditron: Not Quoted
Sieve Shaker	Screen Mesh Size: 10-100 mesh Speed: 1400/min Power Supply: 220V±10%, 50/60Hz 1 Working Layer: 1°8 layers Diameter: 200mm Timing Range: 0°99min 59 sec	1	Non responsive	Offered model : ESYS-200 Manufacture : Eversun machinery (Henan)Co,Ltd Country of origin : China	Non responsive	Non responsive	SU Enterprises: Non responsive Delta Plus: Qualify R-Wish: Non responsice Meditron: Non Resposive
Sand washer	Capacity(t/h): 50-100 Feed size> 10mm	1	Not Quoted	Not Quoted	Non responsive	Not Quoted	Re-tender
Sand Muller	Mixing capacity: 2-50t/hr	1	Not Quoted	Offered model : S118 Manufacturer : Qingdao tianzhuang casting machine industry and Trade. Ltd. Country of origin : China	Non responsive	Not Quoted	Re-tender
Hand moulding machine	Capacity = 50 Clamping way = Hydraulic Materials Processed = PP, HDPE, PC, ABS, PVC, Polystyrene, PE, EVA, PA	3	Not Quoted	Offered model : JY-550ST Manufacture : Dongguan JieYang Machinery Co., Ltd Country of origin : China	Non responsive	Not Quoted	SU Enterprises: Not Quoted Delta Plus: Qualify R-Wish: Non responsice Meditron: Not Quoted
Sand moisture tester	Pan size: Circle 100 mm Display: solid %, moisture %, g, time, °C Heating way: Halogen Heating temperature: 50 °C - 180 °C (stepping is 1 °C)	1	Non responsive	Offered model : DSH-50-1 Manufacturer : WANT balance instrument Co_Ltd Country of origin : China	Non responsive	Non responsive	SU Enterprises: Non responsive Delta Plus: Qualify R-Wish: Non responsice Meditron: Non Resposive
Oven	Power: 30kW Working temperature upto 1000°C Max. loading capacity: 50kg Heating method: electric No-load heating up time: \$2.5h	1	Non responsive	Offered model : RX3-30-12 Manufacturer : CDOCAST MACHINERY CO_LTD. Ltd Country of origin : China	Non responsive	Not Quoted	Re-tender
Scanning Electron Microscope SEM	High-vacuum imaging resolution — 0.9 nm or better. Basis Probe current- from pico amperes (pA) to 100 nanoamperes (nA) or better. Accelerating voltage range: 0.5 kV (or lower) to 30 kV. Magnification: up to 1,000,000 X. Inside chamber size: at least 300 x 300 mm, preferably larger. Motorized, computer controlled specimen stage with 5-axis movements: X, Y = 100 mm or better; Z = at least 50 mm or better Rotation: continuous 360" Should have multiple stub holders (labelled) in specimen chamber allowing simultaneous loading and analysis. Analytical working distance: 1 mm to up to 30 mm. CCD camera for viewing sample in chamber. In-chamber color optical camera for sample navigation. ETD (Everhart Thornley Detector) and TLD (through-lens/in-lens \$E/BSE detector).	1	Not Quoted	Not Quoted	Non responsive	Not Quoted	Re-tender